Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-		gradient near coil and current near flow same S11 near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:56
		gradient near coil and current near flow same S11 near (amps "A" "I")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
And the second s		gradient near coil current near flow same S11 near (amps "A" "I")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
		gradient near coil current near flow same S11 near (amps A I)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
		gradient near coil and (conduct\$3 particle) same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:17
		gradient near coil and particle same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:11
		gradient near coil and S11 same mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:09
		gradient near coil and S11 near mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08
		gradient near coil and S11.mu.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08

				,		
		gradient near coil and S11 near . mu.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08
		gradient near coil and particles and S11 .mu.m.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:24
L18	2	("6973711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:15
L19	685	(600/422).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:15
L20	518	600/422	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:16
L21	2187	600/421 600/410	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:16
L22	41	Sellers.in. and MRI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:17
S1	70	(MR MRI) and gradient near tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:36
S2	56	(MR MRI) and gradient near tube and conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/20 15:04
S3	1	gradient near coil same tube and second with coil and conductive near compound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 15:38

S4	105	gradient near coil same tube and second with coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:43
S5	6	gradient near coil and inner near tube and outer near tube and (conductor conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:57

S6	147	(US-20040149645-\$ or	US-PGPUB;	OR	OFF	2006/12/21 13:55
	,	US-20040105584-\$ or	USPAT		•••	-000, 12, 22 20:00
		US-20060018561-\$).did. or	001711			
		(US-5763026-\$ or US-6475753-\$ or				
		US-6464459-\$ or US-5331134-\$ or				
		US-4879528-\$ or US-6436703-\$ or				
		US-6448270-\$ or US-6440933-\$ or				
		US-6416960-\$ or US-5262949-\$ or				
		,	-			
		US-5265743-\$ or US-5383090-\$ or				,
		US-5870958-\$ or US-5240638-\$ or				
		US-5910826-\$ or US-6186771-\$ or				
		US-6239336-\$ or US-6399557-\$ or				
		US-4756635-\$ or US-5433808-\$ or				
		US-5500264-\$ or US-6058803-\$ or				
		US-6079294-\$ or US-6145184-\$ or				
		US-6179530-\$ or US-6195894-\$).				
		did. or (US-6224160-\$ or				
		US-6227070-\$ or US-6312364-\$ or				
		US-6112435-\$ or US-6358190-\$ or				
1		US-6436018-\$ or US-5713309-\$ or				
		US-6102941-\$ or US-5612497-\$ or				
		US-6360126-\$ or US-6387696-\$ or				
		US-5557981-\$ or US-6053942-\$ or				
		US-6182668-\$ or US-6362009-\$ or				
	·	US-6193726-\$ or US-6197050-\$ or				
		US-4973985-\$ or US-5000643-\$ or				
		US-5024572-\$ or US-5504304-\$ or				
		US-5874707-\$ or US-6114839-\$ or				
		US-5647644-\$ or US-5025625-\$ or				
		US-5830780-\$ or US-4567859-\$).				
		did. or (US-4936342-\$ or				
		US-5360219-\$ or US-5401035-\$ or				
-		US-5460438-\$ or US-5501053-\$ or				
	·	US-6272479-\$ or US-5578483-\$ or				
		US-6141885-\$ or US-6188975-\$ or				
·		US-6414011-\$ or US-4392914-\$ or				
		US-4400707-\$ or US-4509610-\$ or				
		US-4531825-\$ or US-4562377-\$ or				
		US-4588140-\$ or US-4764067-\$ or				
		US-4782681-\$ or US-4782688-\$ or				
		US-4784332-\$ or US-4787506-\$ or				
		US-4876894-\$ or US-4888993-\$ or				·
]		US-4899731-\$ or US-4900248-\$ or				
		US-4938729-\$ or US-4953833-\$).				
		did. or (US-4958823-\$ or				
		US-4970952-\$ or US-4986866-\$ or				
		US-5197538-\$ or US-6421613-\$ or				
		US-6353477-\$ or US-6196531-\$ or				
		US-5261752-\$ or US-5277527-\$ or				
		US-5357716-\$ or US-5364158-\$ or				
		US-5395128-\$ or US-5511796-\$ or				l l
		US-5526462-\$ or US-5548672-\$ or				
		US-5560721-\$ or US-5575485-\$ or				
		US-5881957-\$ or US-4784574-\$ or				
		US-5591042-\$ or US-5674181-\$ or				
1/4/2007	7 7:17:25 PM	US-5743479-\$ or US-5785140-\$ or				Page 4
C:\Docu	ments and Set	uS-5792229-\$ or US-5957489-\$ Arwo tiUS-6043490-\$ or US-6099572-\$ 7.	rkspaces\1070	907.wsp		3-
] [did or (115-6116288-¢ or				
	•	······	į	, '	'	•

S7	46	S6 and (resin epoxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:55
S8	444	gradient near coil and (epoxy resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:57
S9	328	gradient near coil and (epoxy resin) and (conductor conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:58
S10	148	gradient near coil and (epoxy resin) same (conductor conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:30
S11	2	gradient near coil and (epoxy resin) same (conductor conductive conducting) and chemical near harden\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	·OFF	2006/12/21 14:31
S12	4	gradient near coil and (epoxy resin) same (conductor conductive conducting) same hardener	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:42
S13	4	gradient near coil and (epoxy resin) same (conductor conductive conducting) same bisphenol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:44
S14	5	gradient near coil and (epoxy resin) same bisphenol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR-	OFF	2006/12/21 14:51
S15	12	gradient near coil and polyester near resin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 15:37
S16	0	gradient near coil and S11 and mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:09

			•	<u></u>		
S17	2	gradient near coil and S11 ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S18	3078	gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S19	0	gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) and ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S20	306	gradient near coil and particle and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:12
S21	2544	gradient near coil and (conduct\$3 particle) and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:13
S22	57	gradient near coil and (conduct\$3) and particle near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:21
S23		gradient near coil and (conduct\$3) same particle near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:36
S24	353	gradient near coil and (conduct\$3) same current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/12/21 16:39
S25	750	gradient near coil and (conduct\$3) and current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:40
S26	353	gradient near coil and (conduct\$3) same current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON A	2006/12/28 11:44

			5 .01 }	•		
S27	121	gradient near coil and (conduct\$3) same current near flow and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:44
S28	34	gradient near coil and (conduct\$3) same current near flow same heat	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/12/21 16:54
			DERWENT			
S29	0	gradient near coil and current near flow same "10" near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:56
S30	12	gradient near coil and current same "10" near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/12/21 17:00
			DERWENT			
S31	12	gradient near coil and current same "10" near (amp\$2 micro)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 17:00
S32	34	gradient near coil and (conduct\$3)	US-PGPUB;	OR	ON ,	2006/12/28 11:55
ili.		same current near flow same heat	USPAT; USOCR;			
			EPO; JPO; DERWENT			
S33	0	gradient near coil and current near flow same heat same limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 11:55
S34	0	gradient near coil and current with flow same heat same limit	US-PGPUB; USPAT;	OR	ON	2006/12/28 11:56
			USOCR; EPO; JPO; DERWENT		# # # # # # # # # # # # # # # # # # #	
S35	1	gradient near coil and current with flow same limit and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 12:01
S36	32	(compound coating) same limit same current with flow same limit and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 12:05

S37	8	(compound coating) same limit with current with flow and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 16:00
S38	24	(compound coating) with limit with current and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 16:00
S39	2	("6147844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:38
S40	37	gradient near coil and (coating compound) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:41
S41	51	gradient near coil and (laminate coating compound) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:41